

# A REVIEW OF SEGMENTATION TECHNIQUES USED IN IMAGE PROCESSING

Nini<sup>1</sup>, Sonika Jindal<sup>2</sup>

<sup>1,2</sup>Computer Science, SBSCET (India)

## ABSTRACT

*Image segmentation can be defined as the process of partitioning a digital image into multiple segments. It is the first step in analysis of an image. Image segmentation finds uses in several image processing techniques such as image compression and object recognition. Several methods for image segmentation have been developed over last five decades. Broadly these can be categorized into edge-based, region-based, threshold-based and cluster-based segmentation. The techniques used in either of these methods are not efficient enough to give good results individually. Therefore, a combination of two or more techniques from each method is used for achieving good segmentation results. In this paper, such methods of image segmentation have been reviewed.*

**Keywords:** Canny, K-means, Threshold, Segmentation, Region

## I. INTRODUCTION

Image segmentation is an important part of image processing. It is a technique that subdivides an image into its constituent elements so that it becomes more understandable. The level to which the image is divided depends on the problem being solved [1]. In case of image compression, we want to segment the image only to reduce its size while in case of satellite imagery same segmentation may be done to enhance the features of image for its proper study. A good segmentation algorithm is that which stops after achieving accurate results and does not lead to over segmentation. The first techniques for image segmentation were developed in 1960s at Bell Labs. Today it has become a vast area for research and development of digital image processing. Image segmentation finds applications in many fields - medical field, locate tumor, recognize infected cells [7], remote sensing, to identify regions of interest and objects in the scene which is beneficial to subsequent image analysis and annotation [14], image enhancement, satellite imagery (locate road, forests and cities in satellite images) and many others.

Image segmentation is a part of the bigger process of image engineering [2], as shown in Fig:1 which consists of mainly three stages:

- a. Image understanding
- b. Image analysis
- c. Image processing




Fig 1: Image Engineering

## II. IMAGE SEGMENTATION TECHNIQUES:

Many different methods of image segmentation have been developed since 1960. Broadly these methods can be classified into following types:

1. Edge based
2. Region based
3. Threshold based
4. Clustering based

### 1. Edge based:

An edge is defined as the boundary between two regions. It is here that the neighboring pixels of the region become dissimilar. In edge based image segmentation each object is surrounded by a closed border [3]. The edges divide the image into various objects that it is composed of.

Edge based segmentation can be done in two ways:

- a. Gradient based: It works according to the spatial gradient, which is the first derivative of an image. It is given by

$$\nabla f = \left[ \frac{\partial f}{\partial x}, \frac{\partial f}{\partial y} \right]$$

It detects the edges by looking for the maximum and minimum in the first derivative of the image [15]. The magnitude of gradient tells about the strength of the edge while the change in intensity tells about the direction of the edge.

- b. Gaussian based: It works by finding zero crossings in the second derivative of image. The zero crossing is useful for locating the centers of thick connected edges [16]. The second derivative of image is given by:

$$\nabla^2 f = \frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2}$$

**Gradient based:**

- (i) **Robert edge detection:** It was the first edge detection method introduced by Lawrence Roberts in 1963. The operator consists of a pair of 2x2 convolution kernels as shown in the figure. Kernels respond to maximize edge running at 45° to each pixel grid.

+1	0
0	-1

Gx

0	+1
-1	0

Gy

- (ii) **Sobel edge detection:** The Sobel operator is based on convolving the image with a small valued filter in horizontal and vertical direction. It is a computationally inexpensive method. For high frequency variations in the image it produces crude gradient approximation.

-1	0	+1
-2	0	+2
-1	0	+1

Gx

+1	+2	+1
0	0	0
-1	-2	-1

Gy

- (iii) **Prewitt edge detection:** The Prewitt filter is very similar to Sobel filter. The 3x3 total convolution masking is used to detect gradient in the X, Y directions as shown in Figure. It is a fast method for edge detection. It is only suitable for well-contrasted noiseless images.

-1	0	+1
-1	0	+1
-1	0	+1

Gx

+1	+	+1
	1	
0	0	0
-1	-1	-1

Gy

**Advantages:** These techniques are simple and easy to implement

**Disadvantages:** These are sensitive to noise present in the image, hence are less efficient. Edges detected could be inaccurate and less reliable [17].

**Gaussian based:**

- (i) **Canny Edge detection:** Canny edge detector is a commonly used image processing tool. It is a robust algorithm and is adaptable to various environments. It is faster than Roberts method.[4]

Steps in canny edge detection:

- (a) **Smoothing:** The noise in the image is removed by convolving the image with Gaussian filter.

- (b) Finding Gradient: Sobel operator is used to perform 2-D gradient in both horizontal and vertical directions. It detects edge strength and edge direction.
- (c) Non-maximal Suppression: Only pixels with local maxima are marked as edges, while the rest are suppressed to minimize false edges.
- (d) Continuation in edges: broken and weak edges are removed using double threshold. Two threshold values,  $th$ , high threshold value and  $tl$ , low threshold value are calculated according to local content of the image. Pixel value,  $p$ , is marked as edge if it is greater than  $th$  i.e.  $p(x,y) > th$ . If it lies between  $th$  and  $tl$  ,i.e.  $tl < p(x,y) < th$ . then it is kept only if it is connected to continuous edge. Pixel value less than  $tl$  i.e.  $p(x,y) < tl$  are rejected straight away.

Thus, proper connected edges are formed.




Fig 2: Steps in Canny Edge Detection

**Advantages:** It works better on noisy images than gradient based filters.

**Limitation:** It is a complex and time consuming process.

- (ii) **Laplacian:** It is seldom used directly, as being a second order derivative it is very sensitive to noise. Its magnitude produces double edges and it is unable to detect direction of the edge. But this property can be used for edge detection by looking for zero crossings between the positive and negative value of double edges [16].

It is thus used in combination with Gaussian, which removes noise, as Laplacian of Gaussian (LoG) filter. LoG is very effective in detection of thick edges. It takes a gray scale image as input and gives another gray level image as output. The association of Gaussian with Laplacian can be done as a preprocessing step. It has two major advantages. Since both the Gaussian and the Laplacian kernels are usually much smaller than the image, this method usually requires far fewer arithmetic operations. The LoG kernel can be pre-calculated in advance so only one convolution needs to be performed at run-time on the image [18].

1	1	1
1	-8	1
1	1	1

-1	2	-1
2	-4	2
-1	2	-1

Fig: Commonly used approximations of Laplacian Filter

- 2. **Region based:** This method segments the image on the basis of low-level features of the image – color, texture and intensity. Unlike the edge-detection method which works for only gray scale images, it can work for colored images as well. It assumes that the pixels in a region are similar to each other while pixels of different regions are not [9]. The similarity criterion of pixels can be one or more of the three features.


Results heavily depend on what criterion has been chosen. The commonly used techniques in this method are JSEG segmentation, seed-growing and region split-and-merge.

(i) **JSEG-segmentation:** JSEG (Joint Systems Engineering Group) [12] is a novel approach for an automatic approach to colored image segmentation. It is a useful method for segmentation of natural scenes as those are rich in color and texture pattern [14]. It works on the following assumptions of the image [13]:

- The image contains regions with uniformly distributed color texture pattern.
- The color information of a region can be represented by a few quantized values of colors.
- Color difference among different regions is quite noticeable.

JSEG works in two stages: color quantization and spatial segmentation. In color quantization, the colors of the image are reduced to a less number of classes, up to 24, without degrading the quality of color information of the image. The quantized colors are assigned labels. Each label is associated with a class. The original color pixels of the image are replaced by these labels resulting in class-maps. The reduction in number of colors reduces the complexity of the algorithm. Spatial distribution of colors in the image is not taken into consideration while performing color quantization.

In spatial segmentation,  $j$  image is formed. A  $j$ -image is a gray-scale image whose pixel values are the  $J$ - values calculated over local windows centered on these pixels [11].  $J$  values are related with the sizes of the windows. These values are calculated from a window placed on the quantized image, where the  $J$ -value belongs and the size of the window can be varied [13]. Then homogeneity and uniformity of regions is calculated. Homogeneous regions are merged together for proper results.



**Figure: Steps in JSEG image segmentation**

**Advantages:** It is a robust method and has good computational capability. It works well on natural scenes which are composed of complex objects and texture.

**Disadvantage:** It could lead to over segmentation when intensity change in the image is taken into consideration.

(ii) **Region-growing:** It is a very popular and simple method of region based segmentation. The widely used procedure is set a similarity criterion for comparison of pixels. Then we take one pixel and compare it with its neighbors. If a similarity principle is satisfied, the pixel is set to belong to the cluster as one or more of its neighbors otherwise it is kept aside until another pixel which fulfils the criteria is found [10]. The selection of the similarity criterion is important. There are two types in region growing, Seeded and Unseeded. In seeded region growing (SRG), a set of seeds is selected initially and the region is grown around it by adding pixels one by one to the region. In unseeded region growing, no initial selection of seed points is necessary. The seed points are generated automatically [9]. This is not a very popular method.

**Advantages:** The regions can be formed based on more than one criterion at the same time.

**Disadvantage:** It can lead to over segmentation, which is undesirable for proper segmentation.

(iii) **Region-split and merge:** In this the whole image is taken as single region initially and then split into smaller regions based on the difference in pixel properties. The process is repeated until no more splits are possible [2]. Then the regions are merged based on the similarity of their pixels. Usually it starts with smaller regions being merged to create a bigger one. The regions are merged only if they have some similarity between them [1]. It is based on the concept of quad trees, each node represents the subdivision of a node into four descendent nodes and root represents the entire image [9].

**Advantages:** It guarantees connected regions.

(iv) **Clustering K means:** This is the basic algorithm for creating clusters. It splits the image into k clusters each with a centroid. Distance between centroid and pixels of a cluster is measured till it becomes as small as possible. In the process the centroids are changed repeatedly, till no more change in centroids is possible [3].

The algorithm for K-means is as follows:

Step1: Randomly choose k number of centroids in the image.

Step 2: Form a cluster around each centroid based on the distance of surrounding pixels from it. This distance is the Euclidean distance between the centroid and the pixel.

Step 3: Repeat Step 2 till the centroids become fixed for a given cluster.

**Applications:** Advanced versions of K-means are used medical imagery for clustering of cell tissues as described in [6], [7].

**Limitations:** The algorithm is sensitive to initial selection of centroids.

**3. Threshold based method:** It is a simple but effective technique for image segmentation. It basically separates the objects of image from the background. It converts a multilevel image into a binary image i.e., it choose a proper threshold T, to divide image pixels into several regions. If it is an image of a light object on dark background then a pixel p(x,y) is considered a part of the object if its value is less than the threshold i.e  $p(x,y) < T$ , else it is considered to be a part of the background[8]. In this way by comparing the pixel values to a set threshold value the whole image can be segmented. Thresholding can be divided into two methods: global threshold and local threshold.

(i) **Global threshold:** It works when the intensity of pixels is even i.e the background and objects can be easily classified based on a constant threshold value.

$$g(x,y) = 1 \text{ if } f(x,y) > T$$

$$g(x,y) = 0 \text{ if } f(x,y) \leq T \text{ [2]}$$

where  $g(x,y)$  is the global threshold and  $f(x,y)$  is the pixel value [2]

- (ii) **Local threshold:** it is used when the intensity distribution of pixels is uneven. There are multiple threshold values.

**Applications:** It is used to differentiate foreground from background.

**Limitations:** It cannot be applied to noisy or multichannel images as it generates only two classes of images.

### III. CONCLUSION

In this paper I have discussed different image segmentation techniques. As these techniques individually have some limitation, these are used in a combination for better results. The clustering algorithm K-means is usually applied in its advanced form as moving K-means or Fuzzy K-means to improve the accuracy of the results. Also clustering algorithms and region based algorithms are sometimes combined. The future scope of these techniques is to reduce time and improve the accuracy of results.

### REFERENCES

- [1] Nida M. Zaitoun, Musbah J.Aqel "Survey on Image Segmentation Techniques" Procedia Computer Science 65(2015) 797-806
- [2] Amanpreet Kaur "A Review Paper on Image Segmentation and its various Techniques in Image Processing" International Journal of Science and Research (2012)
- [3] R.Yogamangalam#1, B.Karthikeyan, " Segmentation Techniques Comparison in Image Processing", International Journal of Engineering and Technology Vol 05 Issue 1(2013)
- [4] Poonam Dhankhar, Neha Sahu, " A Review and Research of Edge Detection Techniques for Image Segmentation" IJCSMC, Vol.2, Issue 7, July (2013), pg 86-92.
- [5] Kewal Krishan and Sukhjit Singh "Color Image Segmentation Using Improved Region Growing and K- means Method" IOSR Journal of Engineering Vol. 0 Issue 05
- [6] Farah H.A. Jabar, Waidah Ismail, Rosaline A. Salam, Roseline Hassan "Image Segmentation Using a Hybrid Clustering Technique and Mean Shift for Automated Detection of Acute Leukemia blood Cell Images" JATIT, Vol 6 No.1 June 2015
- [7] A.S.Abdul Nasir, M.Y.Mashor, Z.Mohamed "Segmentation Based Approach for Detection of Malaria Parasites Using Moving K-means Clustering" IEEE EMBS International Conference on Biomedical Engineering and Sciences (2012)
- [8] Rajeshwar Dass, Priyanka and Swapna Devi "Image Segmentation Techniques" IJCET vol03 Issue 01. (2012)
- [9] Mehdi Hosseinzadeh, Parisa Khoshvaght "A Comparative Study of Image Segmentation Algorithms" International Journal of Computer, Electrical, Automation, Control and Information Engineering Vol:9, No:8, (2015)
- [10] Tejaswini C, Mamatha Y N "Region Based Satellite Image Segmentation Using JSEG Algorithm" IJCSMC, Vol. 4, Issue. 5, May 2015, pg.1012 – 1016





- [11] Akshay P. Vartak, Dr. Vijay Mankar “Colour Image Segmentation - A Survey” International Journal of Emerging Technology and Advanced Engineering Volume 3, Issue 2, February 2013
- [12] Shruti Pardhi, Mrs. K. H. Wanjale “Survey on Techniques Involved in Image Segmentation” International Journal of Computer Science Trends and Technology (I JCS T) – Volume 4 Issue 3, May - Jun 2016
- [13] Amritpal Kaura, Dr.Yogeshwar Randhawab “Image Segmentation Using Modified K- Means Algorithm and JSEG Method” International Journal Of Engineering And Computer Science ISSN:2319-7242 Volume 3 Issue 6 June, 2014 Page No. 6760-6766
- [14] Khamael Abbas, Mustafa Rydh “Satellite Image Classification and Segmentation by Using JSEG Segmentation Algorithm” I.J. Image, Graphics and Signal Processing, 2012, 10, 48-53
- [15] Mamta Juneja , Parvinder Singh Sandhu “Performance Evaluation of Edge Detection Techniques for Images in Spatial Domain” International Journal of Computer Theory and Engineering, Vol. 1, No. 5, December, 2009
- [16] Rafael C.Gonzalez, Richard E.Woods “Digital Image Procesisng”
- [17] Er. Komal Sharma, Er. Navneet Kaur “Comparative Analysis of Various Edge Detection Techniques” International Journal of Advanced Research in Computer Science and Software Engineering Volume 3, Issue 12, December 2013
- [18] Raman Maini & Dr. Himanshu Aggarwal, “Study and Comparison of Various Image Edge Detection Techniques” International Journal of Image Processing (IJIP), Volume (3) : Issue (1)